

Adapter Board and wire For Balancer & Balance charger

Model	Fit for battery packs	Balancer or Balance charger model	Battery brand	Main Spec.
CCB-7N-XH or EHR	3*2S, 2*3S, 4S, 5S and 6S packs	B6, B6+, HB6, 680B+, 106B, 106B+	KOKAM, Chargery, Align, Graupner, Dualsky etc, the wafer on the board is customized	63*39*8 (L*W*H, mm), 11g
CCB-7TPQF	2S, 3S, 4S, 5S and 6S packs	B6, B6+, HB6, 680B+, 106B, 106B+	Thunder Power, Polyquest, Flightpower, Hyperion, E-tec packs etc.	62*45*8(L*W*H,mm),12g
CCB-5TPQF	2S, 3S, 4S, 5S and 6S packs	440B, 0410B	Thunder Power, Polyquest, Flightpower, Hyperion, E-tec packs etc.	45*35*8(L*W*H,mm),10g



CCB-7TPQF



CCB-7N-XH




CCB-7N-EHR




CCB-5TPQF

CCB-7KT-XH or EHR	2S, 3S, 4S, 5S and 6S packs	620B, 630B, 680B	KOKAM, Chargery, Align, Graupner, Dualsky etc, the male plug on the board is customized	115*23*8 (L*W*H, mm), 10g
CCB-7BC	2S, 3S, 4S, 5S and 6S packs	620B, 630B, 680B	Thunder Power, Polyquest, Flightpower, Hyperion, E-tec packs etc.	113*28*8 (L*W*H, mm), 13g



CCB-7KT-XH




CCB-7BC


CCB-8KT-N-XH or EHR	2S, 3S, 4S and 5S packs	550B	KOKAM, Chargery, Align, Graupner, Dualsky etc, the wafer on the board is customized	105*23*8 (L*W*H, mm), 10g
CCB-8QP	2S, 3S, 4S and 5S packs	550B	Polyquest, Hyperion, E-tec etc.	105*23*8 (L*W*H, mm), 10g
CCB-8BC	2S, 3S, 4S and 6S packs	550B	Thunder Power, Polyquest, Flightpower, Hyperion, E-tec packs etc.	100*28*8 (L*W*H, mm), 11g



CCB-8KT-N-XH



CCB-8QP




CCB-8BC


Model	Fit for battery packs	Balancer or Balance charger model	Battery brand	Main Spec.
CCB-723-XH or EHR	2*3S packs and 3*2S packs	B6, B6+, HB6, 620B, 630B, 680B, 680B+, 106B, 106B+	KOKAM, Chargery, Align, Graupner, Dualsky etc, the male plug on the board is customized	42*40*8(L*W*H,mm),8g
CCB-723TPQF	2*3S and 3*2S packs	B6, B6+, HB6, 620B, 630B, 680B, 680B+, 106B, 106B+	Thunder Power, Polyquest, Flightpower, Hyperion, E-tec packs etc.	60*44*8(L*W*H,mm),8g



CCB-723-EHR




CCB-723-XH




CCB-723TPQF

CCB-AQP	2S to 6S, 2*2S, 2*3S, 2*4S, 2*5S, 3*2S,3*3S lipo packs	1010B, 1010B+	Polyquest, Hyperion packs etc.	78*50*8(L*W*H,mm), 10g
CCB-ABC	3*2S,3*3S,4S, 5S,6S,7S,8S,9S,10Spacks	1010B, 1010B+	Thunder Power, Flightpower packs etc.	104*44*8(L*W*H,mm), 10g



CCB-ABC



CCB-AQP

CCB-AKT-XH	2S to 6S, 2*2S, 2*3S, 2*4S, 2*5S, 3*2S,3*3S lipo packs	1010B, 1010B+	Chargery, Align, Dualsky packs etc.	78*50*8(L*W*H,mm), 10g
CCB-AKT-EH	2S to 6S, 2*2S, 2*3S, 2*4S, 2*5S, 3*2S,3*3S lipo packs	1010B, 1010B+	Kokam, Graupner packs etc.	78*50*8(L*W*H,mm), 10g
CCB-9KT-XH	2S to 6S, 4*2S, 2*3S, 2*4S, 3S+5S, 6S+2S lipo packs	DB8	Chargery, Align, Dualsky packs etc.	78*50*8(L*W*H,mm), 10g



CCB-AKT-XH



CCB-AKT-EH



CCB-9KT-EH

Model	Fit for battery packs	Balancer or Balance charger model	Battery brand	Main Spec.
CEHP-7	Adapter Wire	B6, 630B, 680B		70*20*3 (L*W*H, mm), 5g
CEHN-7	Adapter Wire	HB6, B6+, 620B		70*20*3 (L*W*H, mm), 5g
CEH-8	Adapter Wire	550B		70*22*3 (L*W*H, mm), 6g
CEH-11	Adapter Wire	1010B, 1010B+		70*31*3 (L*W*H, mm), 7g
CEH-9	Adapter Wire	DB8		70*26*3 (L*W*H, mm), 6g
CEHP-7X	Adapter Wire	680B+, 106B, 106B+		70*24*3 (L*W*H, mm), 7g
CEHP-5X	Adapter Wire	440B, 0410B		70*20*3 (L*W*H, mm), 8g



Model	Fit for battery packs	Balancer or Balance charger model	Battery brand	Main Spec.
CEH-723	Adapter Wire	B6, B6+, HB6, 620B, 630B, 680B	balance or charge 2*3S battery packs	70*20*3 (L*W*H, mm), 5g
CEH-732			balance or charge 3*2S battery packs	70*20*3 (L*W*H, mm), 5g
CW14-2	Adapter Wire	JST XH-3PIN female to Polyquest 2S battery		65*20*3 (L*W*H, mm), 5g
CW14-3		JST XH-4PIN female to Polyquest 3S battery		65*20*3 (L*W*H, mm), 5g
CEH-11X	Adapter Wire	JST XH-11 female connector to JST EHR-11 male connector		200*29*7(L*W*H,mm),10g
CEH-117		JST XH-11 female connector to JST XH-7 female connector		110*29*7(L*W*H,mm),8g
CW14-5	Adapter Wire	JST XH-3PIN female to Polyquest 2S battery, for 440B		150*23*5(L*W*H, mm), 8g
CW14-6		JST XH-4PIN female to Polyquest 3S battery, for 440B		150*23*5(L*W*H, mm), 10g
CW14-7		JST XH-5PIN female to Polyquest 4S battery, for 440B		150*23*5(L*W*H, mm), 12g



The connector (Housing or female) used in the battery pack
 The plug (Wafer or male) used in the charger, balancer and balance charger



Model	Description	Applied to	Remark
B1	Deans female connector	high rate battery	For charge and discharge
B2	Deans male Plug	intelligent charger	For charge and discharge
B3	JST SYP connector	high rate battery	For charge and discharge
B4	JST SYR plug	balance charger	For charge and discharge
B5	JST EHR-4PIN male connector	Kokam high rate battery	for balancing
B6	JST EHR-4PIN, female connector	balance charger	for balancing
B7	JST XH2.5-4PIN, male connector	Align / CHARGER high rate battery	for balancing
B8	JST XH2.5-4PIN, female connector	balance charger	for balancing
B9	RH-4PIN, male connector	TP and Flightpower battery packs	for balancing
B10	RH-4PIN, female connector	balance charger	for balancing
B11	SMH250,6PIN, male connector	Polyquest and Hyperion battery packs	for balancing
B12	SMH250,7PIN, wafer	balance charger	for balancing
B13	MOIEX 2510, housing	high rate battery	for balancing
B14	MOIEX 2510, wafer	balance charger	for balancing
B15	TAMIYA, housing	high rate battery	For charge and discharge
B16	TAMIYA, wafer	high power charger	For charge and discharge
B17	4mm gold banana female connector, 20.5mm long	high rate battery	For charge and discharge
B18	4mm gold banana male plug, 19.5mm long	high power charger	For charge and discharge
gold banana connector	4.0mm gold banana female connector, 20.5mm long, without wire	high rate battery	For charge and discharge
	4.0mm gold banana male plug, 19.5mm long, without wire	high power charger	For charge and discharge
gold banana connector	2.0mm gold banana female connector, 18.0mm long, without wire	high rate battery	For charge and discharge
	2.0mm gold banana male plug, 16.5mm long, without wire	high power charger	For charge and discharge
gold banana connector	3.5mm gold banana female connector, 12.3mm long, without wire	high rate battery	For charge and discharge
	3.5mm gold banana male plug, 12.6mm long, without wire	high power charger	For charge and discharge
B19	4.0mm gold banana female connector, 40mm*35mm*15mm(L*W*T)	high power charger, power supply	For charge

Model	Description	Applied to	Remark
CW1	Gold Banana male plug to Alligator	For Connecting charger to Battery Pack or DC power supply to charger	
CW2	DC coaxial female connector to Alligator	For Connecting DC power supply to charger	
CW3	Gold Banana male plug to Deans male plug	For Connecting charger to Battery Pack	
CW4	Banana gold plug to Tamiya Male, silicon wire	For Connecting charger to Battery Pack	
CW5	Gold Banana male plug to JST SYR	For Connecting charger to Battery Pack	
CW6	Deans Ultra 2S Battery Harness	For 2 Packs in Series	
CW7	Deans Ultra Y Harness/Parallel cabel	For Connecting One Battery Pack to 2 ESCs	
CW8	Deans Ultra 3S Battery Harness	For 3 Packs in Series	
CW9	Temperature sensor	Monitor Battery temperature	



CW1



CW2



CW3



CW4



CW5



CW6 for 2S Pack



CW7 for 2P pack



CW8 for 3s pack



CW9

Model	Description	Applied to	Remark
CW10	DC coaxial male plug to gold banana male plug	Connect DC coaxial to Banana Jack	300mm Length
CW11	DC coaxial female connector to gold banana female connector	Connect DC coaxial to Banana Jack	300mm Length
CW15	special alligator clips with gold banana female connector	Connect Lead acid battery to Banana plug	85*60*10mm
CW16	special alligator clips with gold banana female connector	Connect Lead acid battery to Banana plug	60*50*10mm
CW17	female deans to female JST	Charging adapter	100mm Length
CW18	male deans to male JST	Charging adapter	100mm Length
CW23	4mm banana male to female Power leads, connect charger to battery		300mm Length
CW24	4mm banana male to male Power leads, connect charger to battery		300mm Length
CW25	Balance charge extension wire for 2S Car battery, 4mm banana male plug, JST XH-3PIN connector		150mm Length
CW6X	Tamiya 2S battery Harness For 2S pack series		
CW8X	Tamiya 3S battery Harness for 3S pack series		
CW26	Balance charge extension wire for Racing Car saddle pack with embedded 4mm banana female plug, JST XH-3PIN babalance connector, Deans female connector		170mm Length



Model	Description	Applied to
CW12-3	female connector B12 with 152mm wire, for 2S charger	Polyquest and Hyperion 2S battery, etc.
CW13-3	male connector B11 with 152mm wire, for 2S battery	Polyquest and Hyperion 2S charger, etc.
CW12-4	female connector B12 with 152mm wire, for 3S charger	Polyquest and Hyperion 3S battery, etc.
CW13-4	male connector B11 with 152mm wire, for 3S battery	Polyquest and Hyperion 3S charger, etc.
CW12-5	female connector B12 with 152mm wire, for 4S charger	Polyquest and Hyperion 4S battery, etc.
CW13-5	male connector B11 with 152mm wire, for 4S battery	Polyquest and Hyperion 4S charger, etc.
CW12-6	female connector B12 with 152mm wire, for 5S charger	Polyquest and Hyperion 5S battery, etc.
CW13-6	male connector B11 with 152mm wire, for 5S battery	Polyquest and Hyperion 5S charger, etc.
CW12-7	female connector B12 with 152mm wire, for 6S charger	Polyquest and Hyperion 6S battery, etc.
CW13-7	male connector B11 with 152mm wire, for 6S battery	Polyquest and Hyperion 6S charger, etc.
CW19-3	female connector B8 (JST XH) , with 152 mm wire, for 2S charger	Align and Chargery 2S battery, etc.
CW20-3	male connector B7 (JST XH) , with 152 mm wire, for 2S battery	Align and Chargery 2S charger, etc.
CW19-4	female connector B8 (JST XH) , with 152 mm wire, for 3S charger	Align and Chargery 3S battery, etc.
CW20-4	male connector B7 (JST XH) , with 152 mm wire, for 3S battery	Align and Chargery 3S charger, etc.
CW19-5	female connector B8 (JST XH) , with 152 mm wire, for 4S charger	Align and Chargery 4S battery, etc.
CW20-5	male connector B7 (JST XH) , with 152 mm wire, for 4S battery	Align and Chargery 4S charger, etc.
CW19-6	female connector B8 (JST XH) , with 152 mm wire, for 5S charger	Align and Chargery 5S battery, etc.
CW20-6	male connector B7 (JST XH) , with 152 mm wire, for 5S battery	Align and Chargery 5S charger, etc.
CW19-7	female connector B8 (JST XH) , with 152 mm wire, for 6S charger	Align and Chargery 6S battery, etc.
CW20-7	male connector B7 (JST XH) , with 152 mm wire, for 6S battery	Align and Chargery 6S charger, etc.
CW21-3	female connector B6 (JST EHR) , with 152 mm wire, for 2S charger	Kokam and Graupner 2S battery, etc.
CW22-3	male connector B5 (JST EHR) , with 152 mm wire, for 2S battery	Kokam and Graupner 2S charger, etc.
CW21-4	female connector B6 (JST EHR) , with 152 mm wire, for 3S charger	Kokam and Graupner 3S battery, etc.
CW22-4	male connector B5 (JST EHR) , with 152 mm wire, for 3S battery	Kokam and Graupner 3S charger, etc.
CW21-5	female connector B6 (JST EHR) , with 152 mm wire, for 4S charger	Kokam and Graupner 4S battery, etc.
CW22-5	male connector B5 (JST EHR) , with 152 mm wire, for 4S battery	Kokam and Graupner 4S charger, etc.
CW21-6	female connector B6 (JST EHR) , with 152 mm wire, for 5S charger	Kokam and Graupner 5S battery, etc.
CW22-6	male connector B5 (JST EHR) , with 152 mm wire, for 5S battery	Kokam and Graupner 5S charger, etc.
CW21-7	female connector B6 (JST EHR) , with 152 mm wire, for 6S charger	Kokam and Graupner 6S battery, etc.
CW22-7	male connector B5 (JST EHR) , with 152 mm wire, for 6S battery	Kokam and Graupner 6S charger, etc.